

# **MATERIAL SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

SDS #: 30520

# **FINAVESTAN A 80B**

Date of the previous version: 2012-06-12

Revision Date: 2014-03-11

Version 2.04

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name	FINAVESTAN A 80 B
REACH registration No	01-2119487078-27
Number	J95
Pure substance/mixture	Substance

#### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

Identified uses

White mineral oil.

### 1.3. Details of the supplier of the safety data sheet

Supplier	TOTAL LUBRIFIANTS
oupplier	
	562 Avenue du Parc de L'ile
	92029 Nanterre Cedex
	Tél: +33 (0)1 41 35 40 00
	Fax: +33 (0)1 41 35 84 71

#### For further information, please contact:

Contact PointHSEE-mail Addressrm.msds-lubs@total.com

# 1.4. Emergency telephone number

+33 1 49 00 00 49 (24h/24, 7d/7)

France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59

In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10, Tel : 01.40.05.48.48. - MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel (15)

# 2. HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

#### REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

#### Classification

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008 Aspiration toxicity - Category 1 - H304\*\*\*

#### DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16



# **FINAVESTAN A 80B**

**Revision Date: 2014-03-11** 

Version 2.04

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 1999/45/EC Symbol(s) Not classified

# 2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008

Contains White mineral oil (petroleum).

EC-No

232-455-8



Signal Word DANGER

H304 - May be fatal if swallowed and enters airways

#### **Precautionary Statements**

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician P331 - Do NOT induce vomiting P405 - Store locked up P501 - Dispose of contents/container to A collection centre for hazardous or special waste

#### 2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substance

Chemical Name	EC-No	REACH registration No	CAS-No	Weight %	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
White mineral oil (petroleum)	232-455-8	01-2119487078-27	8042-47-5	100	-	Asp. tox. 1 (H304)

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.



# **FINAVESTAN A 80B**

Revision Date: 2014-03-11

Version 2.04

# 4. FIRST AID MEASURES

#### 4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.			
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.			
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.			
Inhalation	Move to fresh air.			
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.			
4.2. Most important symptoms and effects, both acute and delayed				
Eye contact	Not classified.			
Skin contact	Not classified			

Skin contact	Not classified.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Harmful: If swallowed accidentally, the product may enter the lungs due to its low viscosity and lead to the rapid development of very serious inhalation pulmonary lesions (medical

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

 Notes to physician
 Treat symptomatically.

 5. FIRE-FIGHTING MEASURES

# 5.1. Extinguishing media

Suitable Extinguishing Media Foam. ABC powder. Carbon dioxide (CO 2). Water spray or fog.

survey during 48 hours).

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

**Special Hazard** Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

#### 5.3. Advice for fire-fighters



# **FINAVESTAN A 80B**

	Revision Date: 2014-03-11	Version 2.04
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.	
Other information	Cool containers / tanks with water spray. Fire residues and contaminated to water must be disposed of in accordance with local regulations.	ire extinguishing

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

General Information Ensure adequate ventilation. Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Remove all sources of ignition.

#### 6.2. Environmental precautions

**General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning upDam up. Keep in suitable, closed containers for disposal. Soak up with inert absorbent<br/>material. Contain spillage, and then collect with non-combustible absorbent material, (e.g.<br/>sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according<br/>to local / national regulations (see section 13).

#### 6.4. Reference to other sections

Personal Protective Equipment	See Section 8 for more detail.
-------------------------------	--------------------------------

Waste treatment See section 13.

#### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.



# **FINAVESTAN A 80B**

Revision Date: 2014-03-11

Version 2.04

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage<br/>conditionsKeep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep<br/>container tightly closed. Keep preferably in the original container. Otherwise reproduce all<br/>indication of the regulation label on the new container. Do not remove the hazard labels of<br/>the containers (even if they are empty). Design the installations in order to avoid accidental<br/>emissions of product (due to seal breakage, for example) onto hot casings or electrical<br/>contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

#### 7.3. Specific end uses

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Exposure limits	oil mist : 10mg/m <sup>3</sup> , for 15 minutes
	oil mist : 5mg/m <sup>3</sup> , for 8 hours

Legend

See section 16

#### DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
White mineral oil (petroleum) 8042-47-5			220 mg/kg/8h (dermal) 160 mg/m <sup>3</sup> /8h (aerosol - inhalation)	
DNEL Consumer		·		•
Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
White mineral oil (petroleum) 8042-47-5			92 mg/kg/8h (dermal) 35 mg/m <sup>3</sup> /8h (aerosol - inhalation) 40 mg/kg/24h (oral)	

#### 8.2. Exposure controls

#### Occupational Exposure Controls

Engineering Measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

#### **Personal Protective Equipment**

**General Information** 

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.



<b>SDS #</b> : 30520	FINAVESTAN A 80B			
	<b>Revision Date:</b> 2014-03-11	Version 2.04		
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.			
Eye Protection	If splashes are likely to occur, wear:. Safety glasses with side-shields.			
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeve	d clothing.		
Hand Protection	Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observations regarding permeability and breakthrough time which are provide supplier of the gloves. Also take into consideration the specific local concerns the product is used, such as the danger of cuts, abrasion. If used in solut other substances, and under conditions which differ from EN 374, contact the EC approved gloves.	vided by the litions under which ion, or mixed with		

### Environmental exposure controls

**General Information** 

-

The product should not be allowed to enter drains, water courses or the soil.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor		colorless liquid Odorless	
<u>Property_</u> pH Boiling point/boiling range	<u>Values</u>	<u>Remarks</u> Not applicable No information available	<u>Method</u>
Flash point	> <b>182 °C</b> > 360 °F		ASTM D 92 ASTM D 92
Evaporation rate Flammability Limits in Air upper Lower Vapor Pressure	7.0 % 0.9 % < 0.013 kPa @ 20 ℃	No information available	
Vapor density Density Water solubility Solubility in other solvents	> 2 850 kg/m³	(Air = 1) @ 15 °C Insoluble Soluble in many common	
logPow Autoignition temperature Viscosity, kinematic Explosive properties	> 6 14.5 - 17.5 mm2/s 3.7 mm2/s Not explosive	organic solvents @ 20 °C No information available @ 40 °C @ 100 °C	ISO 3104 ISO 3104



2.04

<b>SDS #</b> : 30520	FINAVESTAN A 80B	
	Revision Date: 2014-03-11	Version
Oxidizing Properties Possibility of hazardous reactions	Not applicable Not applicable	
9.2. Other information		
Pour point	-6 °C	
10. STABILITY AND REACT	ΙVITY	
10.1. Reactivity		
10.2. Chemical stability		
Stability	Stable under recommended storage conditions.	
10.3. Possibility of hazardo	ous reactions	
Hazardous Reactions	None under normal processing.	
10.4. Conditions to Avoid		
Conditions to Avoid	Heat (temperatures above flash point), sparks, ignition points, flames, static e	ectricity.
10.5. Incompatible Materia	als	
Materials to Avoid	Strong oxidizing agents.	
10.6. Hazardous Decompos	sition Products	
Hazardous Decomposition Products	s None under normal use. Incomplete combustion and thermolysis may produce gases of varying toxicity carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot	

### 11. TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

### Acute toxicity Local effects Product Information

-

Skin contact	Not classified.
Eye contact	Not classified.
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.



# **FINAVESTAN A 80B**

Revision Date: 2014-03-11

Version 2.04

Ingestion . Harmful: If swallowed accidentally, the product may enter the lungs due to its low viscosity and lead to the rapid development of very serious inhalation pulmonary lesions (medical survey during 48 hours).

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

# Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
White mineral oil (petroleum)	LD50 > 5000 mg/kg bw (rat)	LD50 > 2000 mg/kg bw (rabbit)	LC50 (4h) > 5000 mg/m³air (aerosol) (rat)
<u>Sensitization</u>			
Sensitization	None known.		
Specific effects			
Carcinogenicity Mutagenicity Reproductive toxicity	This product is not classified carcinogenic. This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.		
Repeated Dose Toxicity			
Subchronic toxicity	No information available.		
Target Organ Effects (STOT)			
Target Organ Effects (STOT)	No information available.		
Other information			
Other adverse effects	Characteristic skin lesions (pir exposures (contact with conta	nples) may develop following pr minated clothing).	olonged and repeated

# **12. ECOLOGICAL INFORMATION**

# 12.1. Toxicity

Not classified.

#### Acute aquatic toxicity - Product Information

### Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
White mineral oil (petroleum)	EL50 (48h) > 100 mg	EL50 (48h) > 100 mg/l	LC50 (96h) > 10000 mg/L	
8042-47-5	(Pseudokirchnerella	(Daphnia magna - OECD	Lepomis macrochirus ()	
	subcapitata - OECD 201)	202)	- · · · ·	

Chronic aquatic toxicity - Product Information



# **FINAVESTAN A 80B**

Revision Date: 2014-03-11

Version 2.04

#### Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
White mineral oil (petroleum) 8042-47-5			NOEL (14/21d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	

#### Effects on terrestrial organisms

No information available.

### 12.2. Persistence and degradability

#### General Information

Inherently biodegradable.

### 12.3. Bioaccumulative potential

Product Information	No information available.		
logPow Component Information	> 6 @ 20 °C		
Chemi	cal Name	log Pow	
White mineral oil (p	etroleum) - 8042-47-5	-	
12.4 Mobility in coil			

#### <u>12.4.</u> Mobility in soil

Soil	Given its physical and chemical characteristics, the product generally shows low soil
	mobility.

- Air Loss by evaporation is limited.
- Water The product is insoluble and floats on water.

#### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** This substance is considered not to be PBT and vPvB.

# 12.6. Other adverse effects

General Information No information available.

# **13. DISPOSAL CONSIDERATIONS**

# 13.1. Waste treatment methods

Waste from Residues / UnusedShould not be released into the environment. Dispose of in accordance with the European<br/>Directives on waste and hazardous waste. Where possible recycling is preferred to disposal<br/>or incineration.



<b>SDS #</b> : 30520	<b>FINAVESTAN A 80B</b>	INAVESTAN A 80B		
	Revision Date: 2014-03-11	Version 2.04		
Contaminated packaging	Empty containers should be taken to an approved waste handling disposal.	site for recycling or		
EWC Waste Disposal No.	The following Waste Codes are only suggestions:. 13 08 99, 13 02 European Waste Catalogue, Waste Codes are not product specifi Waste codes should be assigned by the user based on the applica was used.	c, but application specific.		

### **14. TRANSPORT INFORMATION**

ADR/RID	Not regulated
IMDG/IMO	Not regulated
ICAO/IATA	Not regulated
ADN	Not regulated

### **15. REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand Regulatory Information: HSNO Approval Number HSR002605

HSNO Group Standard Lubricants (Low Hazard) Group Standard 2006

# **HSNO Classification**

6.3 - SKIN IRRITATION - Category B

6.4 - EYE IRRITATION - Category A (Irritant) 9.1 - AQUATIC ECOTOXICITY - Category D

# 15.2. Regulation according to other foreign laws:

#### **European Union**

-

#### **International Inventories**

EINECS/ELINCS	Complies		
TSCA	Complies		
DSL	Complies		
ENCS	Complies		
IECSC	Complies		
KECL	Complies		
PICCS	Complies		
AICS	Complies		
NZIoC	Complies		
Legend_			
EINECS/ELINCS - European Inventory of	Existing Commercial Chemical Substances/EU List of Notified Chemical Substances		
TSCA - United States Toxic Substances C			
DSL/NDSL - Canadian Domestic Substand			
ENCS - Japan Existing and New Chemical			
IECSC - China Inventory of Existing Chem			
KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances			
PICCS - Philippines inventory of Chemicals	and Chemical Substances		



# **FINAVESTAN A 80B**

Revision Date: 2014-03-11

Version 2.04

# Further information

#### 15.3. Chemical Safety Assessment

Chemical Safety Assessment No information available\*\*\*

#### **16. OTHER INFORMATION**

**Full text of R-phrases referred to under sections 2 and 3** Not applicable

Full text of H-Statements referred to under sections 2 and 3 H304 - May be fatal if swallowed and enters airways\*\*\*

#### Abbreviations, acronyms

Legend Section 8				
+	Sensitizer		*	Skin designation
**	Hazard Designation		C:	Carcinogen
M:	Mutagen		R:	Toxic to reproduction
Revision Date: Revision Note		2014-03-11 *** Indicates updated section	on.	
Further informat	ion	H304 «May be fatal if swalle aspiration. The risk arising f properties of the substance.	owed and enters a from aspiration ha . The risk can the	hay cause lung damage if swallowed» and/or airways». The risk relates to potential for azard is solely related to the physico-chemical refore be controlled by implementing risk fic hazard. An exposure scenario is not

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

#### End of the safety data sheet